



VARIANTS

1724FTZ | Washbasin faucet, 9/12 V, Bluetooth

1724FTZ | WASHBASIN FAUCET, 9/12 V, BLUETOOTH

Oras Optima

EANCODE

6414150096068

ACTIVEMARKETAREAS

**INT, DNK, EST, FIN, LVA, LTU,
NOR, POL, RUS, SWE, UKR**





Oras Optima

Oras Optima brings professional level features to your kitchen in a stylish package. The familiar and reliable faucet has been updated with new functions: a ?ex spout and 2 spray hand shower.

Features

Aerator

Standard aerator

Connection

Flexible inlet pipes

Electronic parts

Autofocus infrared sensor, Solenoid valve, Power supply

Lever/Handle

Temperature control handle

Mechanical parts

Mixing valve for manual temperature control, Non-return valve(s), Litter ?lter(s)

Special features

Software settings adjustable via App

Spout

Fixed spout

Color
Chrome

Temperature
Adjustable hot water stop (included,
retrofitable)

Software settings

Afterflow period
3 s (1-20 s)

Automatic flush
off (off/1-120 h)

Automatic flush period
30 s (1-1800 s)

Max. flow period
2 min (1 - 1800 s)

Flow attributes

Flow-rate at 300 kPa (with flow controller)
0.08 l/s

Pressure loss with flow (0.1 l/s)
200 kPa

Technical properties

Connection size
G3/8

DN-size (nominal dimension)
DN15

Hot water supply
max. +70°C

Material
Brass/Plastic

Projection
85 mm

Electronics

Electrical Connection

230 / 9 V

Regulations

EMC Directive

2014/53/EU

Noise class

I (ISO 3822)

Protection class

IP 55 / transformer IP 20

Approvals

STF

EUFI-RTH-00024-12

KWASE

1462